

Oxford Brookes University – Research Archive and Digital Asset Repository (RADAR)

Nijman, V and Shepherd, C

The role of Asia in the global trade in CITES II-listed poison arrow frogs: hopping from Kazakhstan to Lebanon to Thailand and beyond.

Nijman, V and Shepherd, C (2010) The role of Asia in the global trade in CITES II-listed poison arrow frogs: hopping from Kazakhstan to Lebanon to Thailand and beyond. *Biodiversity and Conservation*Doi: 10.1007/s10531-010-9814-0

This version is available: http://radar.brookes.ac.uk/radar/items/d58143b8-5c00-0337-d625-be27cd789b3a/1/ Available in the RADAR: March 2010

Copyright © and Moral Rights are retained by the author(s) and/ or other copyright owners. A copy can be downloaded for personal non-commercial research or study, without prior permission or charge. This item cannot be reproduced or quoted extensively from without first obtaining permission in writing from the copyright holder(s). The content must not be changed in any way or sold commercially in any format or medium without the formal permission of the copyright holders.

This document is the published open access version of the journal article. Some differences between the published version and this version may remain and you are advised to consult the published version if you wish to cite from it.



ORIGINAL PAPER

The role of Asia in the global trade in CITES II-listed poison arrow frogs: hopping from Kazakhstan to Lebanon to Thailand and beyond

Vincent Nijman · Chris R. Shepherd

Received: 7 July 2009/Accepted: 13 February 2010 © The Author(s) 2010. This article is published with open access at Springerlink.com

Abstract We report on the international trade in South American poison arrow frogs (Dendrobatidae) in the period 2004–2008, and focus on the role of Asian countries. All species of dendrobatid frogs are included in Appendix II of the Convention on International Trade in Endangered Species of Wild Fauna and Flora (CITES), regulating all commercial trade in these species. Based on data compiled in the WCMC CITES database, we establish that >63,000 dendrobatid frogs (of 32 species) were traded internationally. For 21 species the majority of individuals were reported as captive-bred. A quarter to a fifth of the commercial trade in dendrobatid frogs in terms of volume is destined for Asian markets (mainly Japan, Thailand and Taiwan, Province of China). Kazakhstan, the main supplier for the Thai market, is reported as a source country for 16 species, all captivebred. We found large discrepancies between the reported export of dendrobatid frogs from Kazakhstan—none—and imports reported by Thailand as coming from Kazakhstan (>2,500 individuals). A significant part of the trade flow goes via Lebanon, a non-CITES Party. We urge the CITES Management Authorities of the countries involved to investigate the trade in dendrobatid frogs to ensure it does not violate the rules and intentions of CITES.

Keywords Amphibians · Conservation · Endangered species · Southeast Asia · Wildlife trade

Oxford Wildlife Trade Research Group, School of Social Sciences and Law, Oxford Brookes University, Oxford OX3 0BP, UK

Zoological Museum, University of Amsterdam, PO Box 94766, 1090 GT Amsterdam, The Netherlands

C. R. Shepherd (⊠)

TRAFFIC Southeast Asia, Unit 3-2, 1st floor, Jalan SS23/11, Taman SEA, Petaling Jaya, Selangor, Malaysia

e-mail: cstsea@po.jaring.my

Published online: 09 March 2010



V. Nijman · C. R. Shepherd

V. Nijman · C. R. Shepherd

Introduction

A significant part of the pet trade deals with tropical species, from tropical to temperate countries and increasingly to meet domestic demand in tropical countries (Duarte-Quiroga and Estrada 2003; Shepherd et al. 2004; Nijman 2005). Furthermore, as apparently there are many affluent buyers in developing countries, there is a market for exotic pets (i.e. those species not indigenous to the country itself) within the developing world (Nijman and Shepherd 2007): given that wildlife protection laws are not always strictly enforced in certain countries this included species that are not permitted to be traded or species for which trade is strictly regulated (Nijman 2006, 2010; Shepherd et al. 2004). In this paper we focus on the international trade in poison arrow frogs for the pet market, with a focus on the Asian consumer countries.

Poison arrow frogs (Dendrobatidae) are a highly species family of frogs occurring in Central and South America (Clough and Summers 2000; Vences et al. 2000; Bartlett 2003; Symula et al. 2003). Like other tropical frogs they are affected by habitat loss and chytridiomycosis (an infectious disease caused by a zoosporic fungus *Batrachochytrium dendrobatidis* leading to sometimes high mortalities in amphibians: Daszak et al. 2003), but unsustainable capture for the pet trade may pose an additional threat (Schlaepfer et al. 2005; Gorzula 1996; Preece 1998). At least 30–40 species are encountered regularly in the international pet trade. Recognising the need for regulating trade in dendrobatid frogs, on 22 October 1987 they were listed in Appendix II of the Convention on International Trade in Endangered Species of Wild Fauna and Flora (CITES), regulating all commercial trade in these species (Gorzula 1996; Mrosovsky 1988; Pickett 1987). By then all range countries of dendrobatid frogs—that is countries in which the species occur naturally—were a Party to CITES.

This paper provides an analysis of data available on the international trade in dendrobatid frogs and point at a curious trade route, with captive-bred specimens being exported by one CITES Party (Kazakhstan) to a non-CITES Party (Lebanon), after which they are then re-exported to another CITES Party (Thailand) only to be re-exported further into Asia.

Methods

Data were obtained from the WCMC-CITES database (http://www.unep-wcmc.org/citestrade). This database reports all records of import, export and re-export of CITES-listed species as reported by Parties. We focus on commercial trade in live poison arrow frogs only, during the period 2004–2008 inclusive, and focus on the numbers reported by the importing Party. Imports for non-commercial purposes, e.g. exchange between zoos or export for scientific purposes, over this period involved <700 live individuals and are excluded here. Numbers of dendrobatid frogs in international zoos and aquariums (excluding hybrids) were retrieved from the International Species Information System website (https://app.isis.org/) listing collection information from its 735 institutional members (zoos, aquariums, and other zoological collections).

Systematics of poison arrow frogs is a field in motion, with seemingly ever-changing genus and species names; for consistency we followed the taxonomy as used in the WCMC-CITES database which is based on Frost (2004) and Brown et al. (2006). Definitions in this paper follow those of CITES (2009): 'captive-bred' refers to at least second generation offspring of parents bred in a controlled captive environment (or first



generation offspring from a facility that is managed in a manner that has been demonstrated to be capable of reliably producing second-generation offspring in a controlled environment); 'F1 captive-bred' refers to specimens born in captivity to wild-caught parents and that are not considered as captive bred under CITES; 'ranch-raised' refers to specimens either directly removed from the wild and reared in a controlled environment or progeny from gravid females captured from the wild; 'wild-caught' refers to specimens that originate from the wild. While we know to which country specimens are imported, and for what purposes, we do not have information who are the individuals or organisations behind the imports; therefore 'country X imports...' is shorthand for 'traders or other individuals or institutions operating in country X import....' and does not necessary imply that it is the government or government institutions of country X that does the importing.

Results

From 2004 to 2008, a total of 32 species were reported to CITES as being commercially traded, totalling 63,165 specimens of live dendrobatid frogs of four genera, i.e. *Dendrobates, Phyllobates, Epipedobates* and *Cryptophyllobates* (Table 1). For all but one species (*E. trivittatus*), the majority of individuals was reported as captive-bred, with all imports for 21 species declared as originating from captive-bred sources (captive-bred and F1 captive born). Seven species are ranched in relatively small numbers (mainly in Panama and Peru) and imports of five species include wild-caught individuals (from Guyana, Panama and Suriname).

About a quarter to a fifth of the commercial trade in dendrobatid frogs in terms of volume is destined for Asian markets. Within Asia, the major importers are Japan (>4,000 specimens), Thailand (>2,500 specimens) and Taiwan, Province of China (>2,000 specimens). Japan imports most of its dendrobatid frogs from European exporters, Taiwan mainly from European and North American exporters, but Thailand imports mainly from Central Asian suppliers, in particular Kazakhstan.

We found a strong discrepancy between the export data of dendrobatid frogs reported by Kazakhstan and the import data reported by Thailand. Kazakhstan is reported as a source country for 16 species, all reported to be captive-bred, totalling 2,665 specimens (Table 1). For 11 species at least a third of the total global trade during this period is reported to originate from Kazakhstan. However, trade in dendrobatid frogs from Kazakhstan is restricted to the years 2004 and 2005, and while exports from Kazakhstan dominated the international dendrobatid frog trade in these 2 years, no trade is recorded to any county in the years before or after. Kazakhstan, Party to CITES since 2000, has not reported any export in dendrobatid frogs, or any other amphibian, to the CITES Secretariat. Furthermore, no imports have been reported by Kazakhstan nor has any Party reported the export of dendrobatid frogs to Kazakhstan.

According to Thailand's import records, all specimens from Kazakhstan were first exported to Lebanon and subsequently re-exported to Thailand. The only other country from where Thailand imported dendrobatid frogs for commercial purposes was Ukraine (in 2004, 50 captive-bred *D. auratus* and 26 *P. vittatus*). Of the 2,665 dendrobatid frogs imported by Thailand originating from Kazakhstan, 105 were re-exported to Taiwan, Province of China, 50 to the Republic of Korea and 6 to the Philippines (Table 2; Fig. 1).



Table 1 Commercial import of live CITES Appendix II-listed poison arrow frogs in 2004–2008 as reported by parties to CITES, highlighting the role of Kazakhstan as an exporter in the trade in captive-bred individuals (numbers in bold indicate those species for which Kazakhstan is reported as the source of more than a third of the specimens traded)

Species	Total	Wild- caught	Ranch-	F1 captive-	Captive-bred		
			raised	born	Global	Kazakhstan	
Dendrobates amazonicus	20	0	0	0	20	20	
Dendrobates auratus	36,080	620	1100	48	33,510	200	
Dendrobates azureus	1177	0	0	1	996	445	
Dendrobates duellmani	80	0	0	0	80	0	
Dendrobates fantasticus	429	0	32	8	389	60	
Dendrobates fulguritus	27	0	0	0	27	0	
Dendrobates galactonotus	388	0	0	11	377	200	
Dendrobates histrionicus	19	0	0	0	19	0	
Dendrobates imitator	643	0	64	28	551	50	
Dendrobates lamasi	284	0	0	12	271	80	
Dendrobates leucomelas	849	389	0	33	427	200	
Dendrobates mysteriosus	7	0	0	0	7	0	
Dendrobates pumilio	14,956	400	0	24	14,370	200	
Dendrobates quinquevittatus	28	0	0	0	28	0	
Dendrobates reticulatus	666	0	0	90	576	200	
Dendrobates tinctorius	1829	175	0	381	1273	400	
Dendrobates truncatus	33	0	0	0	33	0	
Dendrobates vanzolinii	36	0	0	0	36	0	
Dendrobates variabilis	180	0	56	7	117	0	
Dendrobates ventrimaculatus	1616	0	88	265	1313	60	
Dendrobates spp	116	6	0	0	110	50	
Phyllobates bicolor	225	0	0	5	220	200	
Phyllobates lugubris	30	0	0	0	30	0	
Phyllobates terribilis	342	0	0	95	287	200	
Phyllobates vittatus	97	0	0	0	97	0	
Epipedobates bassleri	573	0	110	101	362	0	
Epipedobates cainarachi	6	0	6	0	0	0	
Epipedobates hahneli	100	0	10	0	90	0	
Epipedobates parvulus	10	0	0	0	10	0	
Epipedobates pictus	60	0	0	40	20	0	
Epipedobates tricolor	213	0	0	14	199	100	
Epipedobates trivittatus	1821	1568	73	156	24	0	
Cryptophyllobates azureiventris	225	0	155	30	40	40	

Discussion

This analysis shows high levels of international trade in dendrobatid frogs, six times higher than reported by Gorzula (1996) more than a decade ago. Compared to the late 1980s—early 1990s (Gorzula 1996), 12 species were no longer reported to be in international trade whereas 18 new ones appeared in recent years. There are large differences between



Table 2 Commercial imports of live captive-bred CITES Appendix II-listed poison arrow frogs in 1987–2008 with Kazakhstan as reported origin, highlighting the role of Thailand as an importer and re-exporter and showing exports were restricted to the years 2004 and 2005 (Lebanon is not party to CITES)

Species	Trade	1987–2003	2004	2005	2006	2007	2008	Exporter	Importer
Dendrobates amazonicus	Export	0	20	0	0	0	0	Lebanon	Thailand
Dendrobates auratus	Export	0	100	100	0	0	0	Lebanon	Thailand
	Re-export			10	20	0	0	Thailand	Taiwan
Dendrobates azureus	Export	0	240	200	0	0	0	Lebanon	Thailand
						5	0	Thailand	S Korea
Dendrobates fantasticus	Export	0	30	30	0	0	0	Lebanon	Thailand
Dendrobates galactonotus	Export	0	100	100	0	0	0	Lebanon	Thailand
	Re-export			30	7	0	0	Thailand	Taiwan
Dendrobates imitator	Export	0	0	50	0	0	0	Lebanon	Thailand
Dendrobates lamasi	Export	0	40	40	0	0	0	Lebanon	Thailand
Dendrobates leucomelas	Export	0	100	100	0	0	0	Lebanon	Thailand
Dendrobates pumilio	Export	0	100	100	0	0	0	Lebanon	Thailand
Dendrobates reticulatus	Export	0	100	100	0	0	0	Lebanon	Thailand
Dendrobates	Export	0	200	200	0	0	0	Lebanon	Thailand
tinctorius	Re-export			18	20	0	0	Thailand	Taiwan
	Re-export				6	0	0	Thailand	Philippines
						30	0	Thailand	S Korea
Dendrobates ventrimaculatus	Export	0	20	40	0	0	0	Lebanon	Thailand
Dendrobates spp	Re-export	0	50	0	0	0	0	Lebanon	Thailand
Phyllobates bicolor	Export	0	100	100	0	0	0	Lebanon	Thailand
						10	0	Thailand	S Korea
Phyllobates terribilis	Export	0	100	100	0	0	0	Lebanon	Thailand
Epipedobates tricolor	Export	0	50	50	0	0	0	Lebanon	Thailand
	Re-export				5	0	0	Thailand	South Korea
Cryptophyllobates azureiventris	Export	0	0	40	0	0	0	Lebanon	Thailand

numbers of captive-bred versus wild-caught dendrobatid frogs. Gorzula (1996) reported 14% of the total international trade to be captive-bred, whereas currently 91% of the individuals are reported as such (with an additional 5% comprising ranched or F1 captive-born individuals). Finally, in the late 1980s–early 1990s Japan was the only Asian country to have imported dendrobatid frogs with an average annual import of ~ 60 individuals, and no Asian country was listed as a (re-)exporting country.

The present study points to the important role of Asian consumer markets in the trade of dendrobatid frogs (cf. Hou et al. 2006) as well as a relevant role as re-exporters of these species. While there is a substantial international trade in dendrobatid frogs, with many of them being reported as captive-bred, the present study raises some concerns. The species were listed in Appendix II of CITES so as to regulate their international commercial trade.






Fig. 1 Trade routes of dendrobatid frogs from Kazakhstan and Lebanon to Thailand and thence to South Korea, Taiwan Province of China and the Philippines. Size of *arrows* are proportional (log₁₀-transformed) to the volumes traded. The *dotted line* indicates a minimum number of individuals following an assumed route from range States

For 16 of the 32 species traded internationally in 2004–2008, trade between two CITES Parties (Kazakhstan and Thailand) was routed through a non-CITES country (Lebanon) and involved large numbers (Table 1). The question is whether or not these individuals have indeed been bred in captivity or originate from other sources. Kazakhstan reports no trade and Lebanon, as a non-CITES Party, does not report any trade either. In its 8 years as a Party to CITES Kazakhstan has never reported the commercial trade (import or export) of an amphibian to CITES, making the export of captive-bred dendrobatid frogs highly unusual.

While it is difficult to assess properly the impact of this trade for all the species concerned, it is nevertheless illustrative to focus on the trade in a number of endemics from Peru (*D. amazonicus*, ¹ *D. fantasticus*, and *D. lamasi*) and Colombia (*P. bicolor* and *P. terribilis*). No live individuals of *D. amazonicus* have ever been reported to have been exported from Peru, and their rarity in international trade is corroborated by their absence in the 735 zoos and aquariums that have joined International Species Information System. A few hundred *Dendrobates lamasi* has been reported in international trade since 1987, but few in recent years, with only 27 individuals present in international zoos and aquariums (no offspring produced in 2008). None have been recorded as exported to Kazakhstan by CITES. *Dendrobates fantasticus* has not been reported as being exported to Kazakhstan, and while it is traded in slightly higher numbers than *D. lamasi*, the 60 individuals exported from Kazakhstan are the largest quantities since 1993. Only 13 individuals are reported to be present in public zoos and aquariums, with no offspring reported for 2008.

Similarly, a few hundred Colombian *P. bicolor* and *P. terribilis* have been traded internationally since the early 1990s, most declared as captive-bred, and none have Colombia as the exporter or as the source country. Both species are kept in moderate numbers in international zoos, 145 and 320 individuals for *P. bicolor* and *P. terribilis*, respectively, with only *P. bicolor* having produced 9 offspring in 2008.

¹ It is quite possible that some or even most of the *D. amazonicus* in trade are in fact the red morph of *D. ventrimaculatus*, labelled as the former so as to increase their value (Victor J.T. Loehr, in litt.).



Given the infrequent nature of captive-breeding in some species, the significant numbers of captive-bred specimens imported from Kazakhstan via Lebanon into Thailand are remarkable. While for some species the total number of purportedly captive-bred specimens is not very large, and even if they were wild-caught may not have significant impacts on wild populations, it is important to investigate these pathways as they can be used to transport larger number of specimens and of a wider range of species as well. In this light, we urge the CITES Management Authorities from Thailand and Kazakhstan to scrutinize the trade involving captive-bred specimens of Dendrobatidae.

We furthermore recommend the CITES Management Authorities of the range States (Colombia, Peru, Suriname, Brazil amongst others) to follow up on this issue with the Management Authorities in Thailand and Kazakhstan. While the described trade in CITES II-listed poison arrow frogs in Asia may be exceptional, discrepancies in reported levels of international wildlife trade are not (e.g. Blundell and Mascia 2005) and we urge conservationists and others interested in regulating wildlife trade to explore other similar cases, retrospectively or in real time, and report discrepancies to the relevant authorities.

Acknowledgments We thank Steve Gorzula and Matthew Todd for information on the poison arrow trade, and Claire Beastall for preparing the map. We thank Watana Vetayaprasit, Director of the CITES Management Authority of Thailand for providing information on the import of CITES-listed amphibians into Thailand. Victor J.T. Loehr, Maylynn Engler and two anonymous reviewers are thanked for constructive comments.

Open Access This article is distributed under the terms of the Creative Commons Attribution Noncommercial License which permits any noncommercial use, distribution, and reproduction in any medium, provided the original author(s) and source are credited.

References

Bartlett RD (2003) Poison dart frogs: facts and advice on care and breeding. Barron's Educational Series, Hauppauge

Blundell AG, Mascia MB (2005) Discrepancies in reported levels of international wildlife trade. Conserv Biol 19:2020–2025

Brown JL, Schulte R, Summers K (2006) A new species of *Dendrobates* (Anura: Dendrobatidae) from the Amazonian lowlands of Peru. Zootaxa 1152:45–58

CITES (2009) CITES glossary. http://www.cites.org/eng/resources/terms/glossary.shtml#c. Accessed 15 Nov 2009

Clough M, Summers K (2000) Phylogenetic systematics and biogeography of the poison frogs: evidence from mitochondrial DNA sequences. Biol J Linn Soc 70:515–540

Daszak P, Cunningham AA, Hyatt AD (2003) Infectious disease and amphibian population declines. Divers Distrib 9:141–150

Duarte-Quiroga A, Estrada A (2003) Primates as pets in Mexico city: an assessment of the species involved, source of origin, and general aspects of treatment. Am J Primatol 61:53–60

Frost DR (2004) Amphibian species of the world: a taxonomic and geographic reference. http://research.amnh.org/herpetology/amphibia/index.php. Accessed 15 Nov 2009

Gorzula S (1996) The trade in dendrobatid frogs from 1987 to 1993. Herpetol Rev 27:116-123

Hou PCL, Shiau TW, Tu MC, Chen CC, Chen TY, Tsai YF, Lin CF, Wu SH (2006) Exotic animals in the pet shops of Taiwan. Taiwania 51:87–92

Mrosovsky N (1988) The CITES conservation circus. Nature 331:563

Nijman V (2005) In full swing. An assessment of trade in orang-utans and gibbons on Java and Bali, Indonesia. TRAFFIC Southeast Asia, Petaling Jaya

Nijman V (2006) In situ and ex situ status of the Javan gibbon and the role of zoos in conservation of the species. Contrib Zool 75(3–4):161–168

Nijman V (2010) An overview of the international wildlife trade from Southeast Asia. Biodivers Conserv (special issue: conserving Southeast Asia's imperiled biodiversity). doi:10.1007/s10531-009-9758-4



- Nijman V, Shepherd CR (2007) Trade in non-native, CITES-listed, wildlife in Asia, as exemplified by the trade in freshwater turtles and tortoises (Chelonidae) in Thailand. Contrib Zool 76:207–211
- Pickett J (1987) Poison arrow frogs, CITES, and other interesting matters. British Herpetol Soc Bull 21: 58–59
- Preece DJ (1998) The captive management and breeding of poison-dart frogs, family Dendrobatidae, at Jersey Wildlife Preservation Trust. Dodo 34:103–114
- Schlaepfer MA, Hoover C, Dodd CK (2005) Challenges in evaluating the impact of the trade in amphibians and reptiles on wild populations. Bioscience 55:256–264
- Shepherd CR, Sukumaran J, Wich SA (2004) Open season: an analysis of the pet trade in Medan, Sumatra 1997–2001. TRAFFIC Southeast Asia, Petaling Jaya
- Symula R, Schulte R, Summers K (2003) Molecular systematics and phylogeography of Amazonian poison frogs of the genus *Dendrobates*. Mol Phylogenet Evol 26:452–475
- Vences M, Kosuch J, Lötters S, Widmer A, Köhler J, Jungfer K-H, Veith M (2000) Phylogeny and classification of poison frogs (Amphibia: Dendrobatidae), based on mitochondrial 16S and 12S ribosomal RNA gene sequences. Mol Phylogenet Evol 15:34–40

